

Township N° XVIII, North, Range N° XII, East of 2nd Meridian. Surveyed by Henry Bryan - 1811.

Description of the Soil on the interior Sectional lines.

Total 21,338.71

between Sections	Quality, &c.	between Sections	Quality, &c.	between Sections	Quality, &c.
35-36	Good farming land; Beech, Ash, Sugar	23-24	Beech, Sugar & Oak	11-12	Good; Beech, Sugar &c.
25-26	Rolling; Beech, Oak	13-24	Broken; Beech, Sugar	1-12	ditto
25-26	Broken; Beech, Oak &c.	13-14	Level; Beech, Sugar &c.	1-2	High land; Sugar &c.
31-32	Level; Beech, Ash &c.	21-22	Flat, wet; Beech, open woods &c.	10-11	Beech, Ash, Sugar &c.
26-33	ditto	14-23	Level; Beech, Sugar	2-11	Level; Beech, Ash, Sugar &c.
33-34	Beech, Sugar, Ash &c.	21-22	Broken; Beech, Oak &c.	2-3	Hilly, brushy; Oak, Beech, Ash &c.
27-34	Rolling; Beech, Sugar &c.	15-22	Level; Beech, Oak &c.	9-10	Rolling, brushy, wet, Prairie land
32-33	Level; Beech, Sugar &c.	20-21	Hilly; Beech, Ash &c.	3-10	Level; Ash, Beech &c.
28-33	ditto	15-21	ditto	3-4	ditto
31-32	Rich flood; Beech, Sugar &c.	19-20	Good farming land; Ash, Beech &c.	8-9	ditto
29-32	Brushy; Poplar, Beech	17-20	Level, rich soil; Ash, Sugar &c.	4-9	Good farming land; Ash, Sugar
30-31	Rich flood; Poplar, Sugar, Beech &c.	18-19	ditto	4-5	Brushy, part wet Prairie
26-27	Level; Beech, Sugar, Ash &c.	14-15	Level; Oak &c.	7-8	Good farming land; Oak, Beech &c.
23-26	ditto	11-14	ditto	5-8	Level, Ash, Elm &c.
24-25	Good farming land; Ash, Sugar &c.	12-13	ditto	5-6	Good farming land; Oak & Ash
27-28	Level; Sugar, Beech &c.	15-16	Rolling; Beech, Ash &c.	6-7	ditto
22-27	Good farming land; Ash, Sugar &c.	13-15	Level; Beech, Sugar &c.		
28-29	Hilly, brushy; Beech, Poplar	16-17	ditto		
21-28	Broken; Beech, Sugar &c.	4-16	Rich; Beech, Spice &c.		
29-30	Rolling; Poplar, Beech	17-18	Level, brushy		
20-29	Rich, Oak, Ash &c.	8-17	Good farming land; Ash, Beech &c.		
19-30	Good farming land; Sugar, Beech	7-18	—		

Township N^o 18 North, Range N^o 13 East of 2nd Mer.

Interior Section Corners described

Continued

Posts	Bearing trees	Inches	courses	Links	Quality of the soil	Section corners	Bearing trees	Inches	courses	Links	From & to	Bearing trees	Inches	courses	Links
A	Beech	14	S 41 W	13		25.26.35.36	Elm	16	S 65 E	38	H to A at 1.	Sugar	14	S 22 E	22
a	do	30	N 4 W	13		23.24.35.36	do	2	S 65 W	47	2.	do	12	S 21 W	9
B	Elm	13	S 70 W	30		25.26.34.35	do	15	S 30 W	26	3.	Sugar	10	S 42 E	14
b	Ash	15	S 24 E	29		26.27.34.35	do	10	S 52 E	25	4.	do	30	S 64 W	37
C	Sugar	10	S 36 W	33		27.28.33.34	do	10	S 47 E	10	5.	do	12	S 62 W	22
c	Ash	15	S 20 E	43		28.29.32.33	do	10	S 49 W	34	6.	do	30	S 32 E	13
D	Ash	13	S 25 E	20		29.30.31.32	do	13	S 43 E	35	7.	do	10	S 11 E	23
d	do	10	S 64 W	23		30.31.32	do	13	S 41 E	33	8.	do	10	S 30 W	21
E	Beech	10	S 31 E	13		31.32.33.34	do	18	S 34 W	41	9.	do	10	S 36 W	76
e	Sugar	12	S 39 E	32		32.33.34.35	do	10	S 3 W	22	10.	do	10	S 30 E	32
F	Beech	10	S 40 E	4		33.34.35.36	do	10	S 24 E	24	11.	do	12	S 23 W	24
f	Blue Ash	10	S 17 W	31		34.35.36.37	do	12	S 26 W	47	12.	do	20	S 67 W	33
g	Beech	12	S 70 W	8		35.36.37.38	do	12	S 27 E	37	13.	do	10	S 40 W	33
G	Beech	13	S 6 W	26		36.37.38.39	do	13	S 24 E	34	14.	do	15	S 31 E	19
g	W. Oak	45	S 84 E	24		37.38.39.40	do	15	S 44 E	34	15.	do	10	S 33 W	14
H	do	10	S 64 E	13		38.39.40.41	do	20	S 47 E	30	16.	do	20	S 44 E	23
h	Beech	10	S 26 W	41		39.40.41.42	do	10	S 30 W	46	17.	do	15	S 47 W	13
I	do	12	S 31 W	13		40.41.42.43	do	10	S 11 E	35	18.	do	10	S 42 E	32
i	do	12	S 38 E	31		41.42.43.44	do	10	S 31 W	8	19.	do	10	S 34 W	13
j	do	30	S 8 W	27		42.43.44.45	do	12	S 44 W	21	20.	do	12	S 44 E	18
K	do	24	S 21 E	45		43.44.45.46	do	30	S 35 E	7	21.	do	10	S 44 W	29
k	do	18	S 26 E	13		44.45.46.47	do	10	S 43 E	24	22.	do	10	S 18 W	24
L	do	13	S 41 W	13		45.46.47.48	do	10	S 51 E	8	23.	do	15	S 17 E	23
l	do	13	S 28 E	16		46.47.48.49	do	14	S 34 W	34	24.	do	15	S 71 W	13
L	Sugar	6	S 5 W	11		47.48.49.50	do	20	S 11 E	8	25.	do	10	S 37 E	19
l	Blue Ash	20	S 20 E	33		48.49.50.51	do	16	S 62 W	26	26.	do	10	S 70 E	15
m	Sugar	5	S 33 W	10		49.50.51.52	do	8	S 20 E	48	27.	do	8	S 32 W	15
M	Sugar	14	S 76 E	31		50.51.52.53	do	16	S 46 W	3	28.	do	16	S 36 E	27
m	do	20	S 46 E	31		51.52.53.54	do	15	S 46 E	19	29.	do	18	S 17 W	61
n	do	18	S 33 W	20		52.53.54.55	do	16	S 57 E	39	30.	do	24	S 41 E	4
n	do	14	S 40 E	10		53.54.55.56	do	18	S 30 W	15	31.	do	24	S 44 W	32
N	Blue Ash	14	S 38 W	24		54.55.56.57	do	15	S 18 E	36	32.	do	20	S 19 W	24
n	Sugar	18	S 16 E	17		55.56.57.58	do	18	S 42 W	13	33.	do	10	S 31 E	22
o	do	30	S 8 E	20		56.57.58.59	do	18	S 12 E	22	34.	do	15	S 8 W	25
O	Sugar	30	S 72 W	21		57.58.59.60	do	20	S 21 W	46	35.	do	20	S 15 E	16
o	do	18	S 23 E	18		58.59.60.61	do	10	S 62 E	23	36.	do	10	S 62 E	23
o	do	18	S 13 W	17		59.60.61.62	do	27	S 16 W	21	37.	do	27	S 16 W	21
P	do	13	S 87 E	21		60.61.62.63	do	10	S 20 E	8	38.	do	10	S 20 E	8
P	do	23	S 19 E	14		61.62.63.64	do	15	S 43 W	44	39.	do	15	S 43 W	44
P	do	14	S 35 E	5		62.63.64.65	do	15	S 27 E	37	40.	do	10	S 12 W	35
P	do	8	S 38 W	37		63.64.65.66	do	10	S 9 W	14	41.	do	18	S 72 E	39
P	do	6	North	1		64.65.66.67	do	18	S 72 E	39	42.	do	20	S 13 E	18
Q	W. Oak	30	S 39 W	23		65.66.67.68	do	24	S 13 E	18	43.	do	24	S 45 W	27
Q	do	18	S 81 E	31		66.67.68.69	do	15	S 26 E	35	44.	do	24	S 48 W	58
Q	Sugar	18	S 44 W	23		67.68.69.70	do	13	S 26 E	35	45.	do	30	S 64 E	32
q	Elm	16	S 73 E	19		68.69.70.71	do	8	S 31 W	6	46.	do	14	S 62 E	43
R	Sugar	14	S 66 W	23		69.70.71.72	do	10	S 71 E	33	47.	do	20	S 33 W	28
R	Elm	13	South	10		70.71.72.73	do	10	S 37 E	36	48.	do	15	S 24 E	38
r	do	12	S 30 W	23		71.72.73.74	do	16	S 4 E	33	49.	do	15	S 54 W	23
r	do	12	S 32 E	8		72.73.74.75	do	36	S 49 E	57	50.	do	10	S 11 E	74
S	W. Oak	15	S 34 W	10		73.74.75.76	do	10	S 58 W	35	51.	do	8	S 10 E	18
s	Ash	13	S 15 W	7		74.75.76.77	do	8	S 25 W	65	52.	do	16	S 55 W	52
s	do	16	S 4 E	33		75.76.77.78	do	10	S 11 E	34	53.	do	15	S 40 E	35
T	W. Oak	24	S 71 E	27		76.77.78.79	do	36	S 30 W	44	54.	do	10	S 79 W	37
t	Sugar	8	S 31 E	41		77.78.79.80	do	12	S 16 E	22	55.	do	12	S 74 E	72
U	Sugar	10	S 14 W	17		78.79.80.81	do	10	S 28 E	40	56.	do	18	S 26 W	72
u	do	10	S 17 W	21		79.80.81.82	do	24	S 4 E	20	57.	do	20	S 44 E	13
V	do	15	S 24 E	43		80.81.82.83	do	20	S 19 E	19	58.	do	12	S 47 E	26
W	W. Oak	10	S 43 E	31		81.82.83.84	do	20	S 58 E	36	59.	do	10	S 48 W	69
W	do	20	S 55 E	54		82.83.84.85	do	24	S 65 W	42	60.	do	8	S 51 E	5
X	do	10	S 71 E	56		83.84.85.86	do	20	S 72 W	32	61.	do	6	S 25 W	79
X	Sugar	16	S 66 E	10		84.85.86.87	do	20	S 50 E	36	62.	do	8	S 75 E	29
Y	do	10	S 78 E	24		85.86.87.88	do	24	S 42 W	21	63.	do	14	S 29 W	22
Y	do	10	S 80 E	45		86.87.88.89	do	12	S 41 W	18					
Z	do	10	S 85 E	38		87.88.89.90	do	20	S 65 E	12					
Z	do	10	S 18 E	42		88.89.90.91	do	16	S 55 E	21					
Z	do	30	S 45 W	10		89.90.91.92	do	24	S 45 E	35					
	do	30	S 45 W	10		90.91.92.93	do	20	S 20 E	39					
	do	30	S 45 W	10		91.92.93.94	do	18	S 30 W	46					
	do	30	S 45 W	10		92.93.94.95	do	24	S 44 E	36					
	do	30	S 45 W	10		93.94.95.96	do	10	S 56 E	18					
	do	30	S 45 W	10		94.95.96.97	do	38	S 38 E	33					
	do	30	S 45 W	10		95.96.97.98	do	10	S 26 W	46					

Quarter Section Corners described

From & to	Bearing trees	Inches	courses	Links
L to T at 1.	Beech	9	S 66 W	16
2.	do	13	S 18 E	41
3.	do	14	S 30 W	57
4.	do	15	S 26 E	35
5.	do	8	S 31 W	6
6.	do	10	S 71 E	33
7.	do	10	S 37 E	36
8.	do	16	S 4 E	33
9.	do	36	S 49 E	57
10.	do	10	S 58 W	35
11.	do	8	S 25 W	65
12.	do	10	S 11 E	34
13.	do	36	S 30 W	44
14.	do	12	S 16 E	22
15.	do	10	S 28 E	40
16.	do	10	S 4 E	20
17.	do	24	S 4 W	28
18.	do	20	S 19 E	19
19.	do	20	S 58 E	36
20.	do	24	S 65 W	42
21.	do	20	S 72 W	32
22.	do	20	S 50 E	36
23.	do	24	S 42 W	21
24.	do	20	S 69 E	47
25.	do	12	S 41 W	18
26.	do	20	S 65 E	12
27.	do	16	S 55 E	21
28.	do	24	S 45 E	35
29.	do	20	S 20 E	39
30.	do	18	S 30 W	46
31.	do	24	S 44 E	36
32.	do	10	S 56 E	18
33.	do	38	S 38 E	33
34.	do	10	S 26 W	46


Indiana
H9

Township N. XVII North, Range N. XII East 2^d Mer.

18N 13E 2 P.M.

18N

INDIANA.
N & E 2 P. M.



Acres Due
Total quantity 1881 28
" " 12 15 - 45

18 - 1513 E
Grapes

Ohio

Scale of 40 Chd to an inch.


A true Copy from the original
Surveyor General's Office March 14. 1832
Edward Tiffin Sur. Gen.

Township N. 18 N, Range N. 13 E. 2nd Meridian (Indiana)

11 72	12 00
49 15	61 72
45 24	45 00
Sec. 5.	
65 54	42 00

The foregoing subdivisions of fractional sections are
truly copied from the original plat in this Office.
Surveyor General's Office } M. T. Williams
Cincinnati, Dec. 11. 1850 } Sur. Genl.

143A



Cincinnati Ohio

Township 18. N. Range 13. E.


2nd Meridian.

361,906.72
 218,630.

 1,205,236.74

101,835.70
 759,102.75
 707,959.24
 183,415.27
 339,741.09
 276,048.81
 323,938.17
 766,611.71

 6,526,844.78



Surveyor General's Office March 14, 1892

Edward & Ellen Smith

Scale of 40 Chas. to an inch